


PRODUCT BROCHURE





ABOUT HELA

HELA NV has been an innovative producer of temporary fencing, crush barriers and accessories since 1995. The company does the right things well: large production volumes, short turnaround times and fast delivery. Dealers and construction companies can buy their temporary fences, gates and accessories directly from the factory.

THE FIVE PLEDGES FROM HELA



High quality European product

HELA is a Belgian producer of construction fencing, crush barriers and accessories. Quality with the CE mark. You benefit from modern machinery, process streamlining and a standardised range.



Sustainable and safe production

HELA works for leading dealers in Europe and beyond. They are demanding increased sustainability and established safety procedures. CO₂ reduction and recycling are key aspects of HELA policy.



Fast and correct delivery

Short turnaround times, large volume, fast delivery – almost always from stock. Our permanent transporters are selected for complying with arrangements.



20 years of experience

Production is fully automatic. In Pelt (Belgium) a fence rolls off the belt every 30 seconds. Product quality is monitored from incoming to final inspection.



Loyal clientele

Our home markets are West and East Europe. HELA thrives in retaining its customers. This is partly due to personal contact from a slim and stable organisation.



CONSTRUCTION FENCING

A clever range of high quality fencing you can use in all confidence. Sustainable products of Sendzimir to hot-dip galvanized, produced in line with the correct standards.


PRE-GALVANISED ECO-LINE

Tubes and wires come in galvanized and are then assembled as a panel. Good fencing for purchase and sale. Light in weight, large transport volumes and competitive pricing.

POST-GALVANISED PRO-LINE

Panels are assembled first after which they are galvanized. These fences are heavier, and therefore more stable. A long life and perfect for rental purposes.


ECO-LINE FENCES



ECO-ANTI CLIMB + C-BRACKETS 3XH

SPECIFICATIONS


Article code	C2128000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	350 x 40
Package quantity	80 (68+12)
Weight (kg)	21



ECO-ANTI CLIMB + C-BRACKETS 3XV

SPECIFICATIONS


Article code	C2104000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	350 x 40
Package quantity	80 (68+12)
Weight (kg)	19.5



MOBILE FENCE ECO-ANTI CLIMB + C-BRACKETS

SPECIFICATIONS


Article code	C2102000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	350 x 40
Package quantity	80 (68+12)
Weight (kg)	18



MOBILE FENCE ECO-SOLID + C-BRACKETS

SPECIFICATIONS


Article code	C0221000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	80 (68+12)
Weight (kg)	17



MOBILE FENCE ECO-SOLID

SPECIFICATIONS


Article code	C0207000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	80 (68+12)
Weight (kg)	17



MOBILE FENCE ECO-SOLID FITTING PANEL 2M*2.2M

SPECIFICATIONS


Article code	C0226000
Dimensions (mm)	2000 x 2252
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	68
Weight (kg)	12.5



MOBILE FENCE ECO-BASIC + C-BRACKETS

SPECIFICATIONS


Article code	C5121000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 38
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	0.9
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	250 x 100
Package quantity	86 (72+14)
Weight (kg)	13.36



MOBILE FENCE ECO-BASIC

SPECIFICATIONS

Article code	C5107000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 38
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	0.9
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	250 x 100
Package quantity	86 (72+14)
Weight (kg)	13.36




MOBILE FENCE ECO-LIGHT

SPECIFICATIONS

Article code	C0300000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	22 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	0.9
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	355 x 100
Package quantity	105 (84+21)
Weight (kg)	9.95

ECO-LINE ROUND TOP




MOBILE FENCE ROUND TOP ANTI-CLIMB +TUBE-V

SPECIFICATIONS

Article Code	C4710000
Dimensions (mm)	1960 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	350 x 40
Package quantity	70 (60+10)
Weight (kg)	18


ROUND TOP ECO ANTI-CLIMB



SPECIFICATIONS


Article Code	C4700000
Dimensions (mm)	1960 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	350 x 40
Package quantity	70 (60+10)
Weight (kg)	16.5

ROUND TOP ECO-BASIC




SPECIFICATIONS

Article code	C4600000
Dimensions (mm)	1960 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	250 x 100
Package quantity	70 (60+10)
Weight (kg)	13.5

ROUND TOP GATES**PEDESTRIAN GATE ECO-LINE
ROUND TOP****SPECIFICATIONS**

Article code	P1502
Dimensions (mm)	2000 x 1150
Package quantity	1
Weight (kg)	14.4

**VEHICLE GATE ECO-LINE
ROUND TOP****SPECIFICATIONS**


Article code	P1504
Dimensions (mm)	2000 x 4261
Package quantity	1
Weight (kg)	35.6

ACCESSOIRES

42/60 High Security
coupler + Hinge ring

CROWD MANAGEMENT

MOBILE FENCE ECO-PEDESTRIAN 1.2M HIGH



SPECIFICATIONS

Article code	C1303000
Dimensions (mm)	1200 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	3 x 3
Mesh opening (mm)	250 x 100
Package quantity	68
Weight (kg)	11.5


PRO-CRUSH BARRIER 16BARS



SPECIFICATIONS

Article code	C3600001
Dimensions (mm)	1100 X 2300
Bar distance (mm)	113
Vertical Bar number	16
Frame Tube diameter (mm)	38
Vertical Bar diameter (mm)	12
Frame Tube thickness (mm)	1
Vertical Bar thickness (mm)	1
Package quantity	25
Weight (Kg)	11


PRO-CRUSH BARRIER SOLID 19 BARS



SPECIFICATIONS

Article code	C1400000
Dimensions (mm)	1100 X 2500
Bar distance (mm)	100
Vertical Bar number	19
Frame Tube diameter (mm)	38
Vertical Bar diameter (mm)	15
Frame Tube thickness (mm)	1.5
Vertical Bar thickness (mm)	2
Package quantity	55
Weight (kg)	16

MOBILE FENCE PRO-PEDESTRIAN 1.2 M*3.5M + H&O



SPECIFICATIONS

Article code	C3000000
Dimensions (mm)	1200 x 3500
Tube diameter (mm)	25 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.5
Wire thickness (mm)	3 x 3
Mesh opening (mm)	250 x 100
Package quantity	68
Weight (kg)	12




CONCRETE BLOCK GBA 2.4M | CBH

SPECIFICATIONS

Article code	D0208
Dimensions Depth (mm)	510
Dimensions Height (mm)	700
Dimensions Width (mm)	2400
Material	Concrete
Package quantity	1
Weight (Kg)	1044

ACCESSORIES



OTHER FENCES

NOISE CONTROL BARRIER 2.0



SPECIFICATIONS

Article code:	E0807
Dimensions (mm)	2 x 2000 x 1205
Package quantity	1
Weight (kg)	8

CITYFENCE 2.2M (RAL 9010-WHITE)



SPECIFICATIONS

Article code	C1700000
Dimensions (mm)	2000 x 2160
Profile dimensions (mm)	1825 x 2090
Tube-V diameter (mm)	42
Tube-V thickness (mm)	1.25
Package quantity	28
Weight (kg)	29


COMBIFENCE ANTI-CLIMB (RAL 5010-BLUE)



SPECIFICATIONS

Article code	C2600000
Dimensions (mm)	2000 x 2160
Profile dimensions (mm)	1094 x 2076
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	150 x 35
Package quantity	28
Weight (kg)	25

GATES



SLIDING GATE CONSTRUCTION SET

SPECIFICATIONS


Article code	P0800
Dimensions (mm)	2135 x 3593
Clear width (m)	3,5
Required installation space (m)	7
Dimensions depth (mm)	150
Weight (kg)	19.36



PRO-PEDESTRIAN GATE

SPECIFICATIONS

Article code	P0600
Dimensions (mm)	2000 x 1180
Clear width (m)	1,2
Mesh opening (mm)	300 x 75
Package quantity	25
Weight (kg)	13



ECO-PEDESTRIAN GATE ANTI-CLIMB

SPECIFICATIONS

Article Code	P0500
Dimensions (mm)	2000 x 1180
Clear width (m)	1,2
Mesh opening (mm)	150 x 35
Package quantity	25
Weight (kg)	14.5

ACCESSORIES



Wheel



Hingeset for pedestrian gate



42/60 High Security coupler + Hinge ring



Mobile Fence Lock Bracket



Steel footing flat




ACCESSORIES

SAFETY



STABILITY



TEMPORARY ACCESS AND BLINDING



STORAGE AND TRANSPORT





CONTACT

A Haltstraat 53
3900 Pelt
Belgium
T +32(0)11 64 88 03
F +32(0)11 64 41 15
E sales@hela-nv.com

WWW.HELA-NV.COM

Disclaimer. There are no rights to be derived from the technical specifications mentioned in the brochure. Always consider up to 10% tolerance deviations.

Hela NV herewith complies with NEN-EN 10305-3, versie 1.0 2023